

# STRUB Vulcomet Long Protection 8094

Solvent-based anti-corrosion fluid, VOC 30%.

**Art.-No. 30286**

---

## Description

STRUB Vulcomet Long Protection 8094, is a brown, solvent-based corrosion inhibitor.

STRUB Vulcomet Long Protection 8094 is excellent for the long-term protection of metallic surfaces against corrosion when used in storage or outdoors, as well as during inland and overseas transport. The protective film is brown and vaseline-like.

## Application

STRUB Vulcomet Long Protection 8094 is supplied ready for use and does not need to be diluted. Ensure uniform consistency before application. Constant stirring is normally not required. If the product thickens due to cold storage or loss of solvent, contact STRUB. At the time of application, we recommend an ambient and product temperature of 10-35°C. STRUB Vulcomet Long Protection 8094 can be applied by airless method by brushing or dipping. The protective film can be removed with STRUB Circulating Cleaner 4100 R, STRUB Circulating Cleaner 4000, petroleum ether, alkaline cleaners or steam at low pressure.

## Features and advantages

- heavy metal free
- excellent protection against moisture
- good water displacement properties
- Vaseline wax-like protective film

## Technical data

|                     |                    |           |
|---------------------|--------------------|-----------|
| Density at 20°C     | g/ml               | 0.870     |
| Viscosity at 40°C   | mm <sup>2</sup> /s | 30        |
| Flash point COC     | °C                 | 40 - 50   |
| Protection time at: |                    |           |
| - Indoor storage    | Months             | ca. 18-36 |
| - Outdoor storage   | Months             | > 12      |
| VOC content         | %                  | 30        |

## Transport

ADR/SDR Class 3, F1, packing group III  
 UN-Code 1993

## Disposal

LVA VeVA / EAK 14 06 03

The information in this technical data sheet is based on general knowledge and possible applications. Strub + Co. AG is not liable for damage resulting from improper use of the products. The measurement and production tolerances customary in the industry apply to the characteristic data given. In general, no legal binding force can be derived from these data. Our products are subject to continuous further development. Therefore, Strub + Co. AG reserves the right to change all technical data in this data sheet at any time and without prior notice.