

STRUB Vulcotrac Utto 20-134

Tractor/gearbox and hydraulic oil

Art.-No. 30358



Description

Special oil for transmissions, drives, hydraulic systems and wet brakes of tractors.

Application

Use according to the manufacturer's instructions.

Features and advantages

- Optimum friction behavior
- EP properties
- very favorable viscosity-temperature behavior
- multigrade oil
- good flowability in cold conditions
- extremely shear stable
- high oxidation stability
- excellent wear protection
- very good corrosion protection
- noise reduction during wet braking

Specifications

API GL 4, Allison C-3/C-4 Ford M2C41-B, M2C48-B, M2C53-A, M2C86-B, M2C-86C M2C134-A, 134-B, 134-C, 134-D John Deere J-20A, J-20B, J-20C, J-20D, Caterpillar TO-2 Massey Ferguson M1127, M1129A, M1135, M1141, M1143, M1145 ZF TE-ML 03E, 05F, 17E	Meets the requirements of CASE MS 1204 /1207 /1210, Deutz-Fahr (KHD), Fendt, Fiat, Ford, Hürlimann, IMT, John Deere, Kubota, Lamborghini, Landini, Massey-Ferguson, Renault, Same, Schlueter, Steyr-Daimler-Puch, Universal, Ursus, Valmet, Volvo BM, Zetor and others.
---	--

Technical data

Density at 20°C		0.870
Viscosity at 40°C	mm ² /s	58.5
Viscosity at 100°C	mm ² /s	10.0
Viscosity index		158
Flash point	°C	210
Pour point	°C	- 36
SAE classes		10W-30 / 80W -85
ISO classes		46 / 68

The information in this technical data sheet is based on general knowledge and application possibilities. STRUB + Co. AG is not liable for damage resulting from improper use of the products. The industry-standard measurement and production tolerances apply to the specified characteristic. Generally, no legal binding can be derived from these data. Our products are subject to continuous further development. Therefore, STRUB + Co. AG reserves the right to change all technical data in this data sheet at any time and without prior notice.

Transport

ADR/SDR

No dangerous goods

Disposal

LVA VeVA / EAK:

13 02 08

The information in this technical data sheet is based on general knowledge and application possibilities. STRUB + Co. AG is not liable for damage resulting from improper use of the products. The industry-standard measurement and production tolerances apply to the specified characteristic. Generally, no legal binding can be derived from these data. Our products are subject to continuous further development. Therefore, STRUB + Co. AG reserves the right to change all technical data in this data sheet at any time and without prior notice.