

# STRUB Squeezing Grease 411 (Rev. 4)

Squeezing grease for ferrous and non-ferrous metals

Art.-No. 30447

---

## Description

STRUB Squeezing Grease 411 (Rev. 4) is a water-dilutable drawing and spinning grease based on natural fatty substances and soaps.

Diluted with water to the desired consistency before use, depending on the material and material thickness.

## Application

In metal spinning, as well as various forming operations of sheets based on ferrous and non-ferrous metals.

## Features and advantages

- non-toxic
- chlorine-free
- solvent-free
- environmentally friendly dilutable with water

## Technical data

Art.-No.		30447
Color	-	beige
NLGI class	-	2-3
Stiffener	-	Lithium calcium soap
Drip point	°C	>100
Walkpenetration (60 strokes)	1/10 mm	220-265
Emcor corrosion test	-	0 - 1
Flash point	°C	>200
Density	g/cm <sup>3</sup>	0,920

## Transport

ADR/SDR No dangerous goods

## Disposal

LVA VeVA / EAK: 12 01 12

The information in this technical data sheet is based on general knowledge and possible applications. Strub + Co. AG is not liable for damage resulting from improper use of the products. The measurement and production tolerances customary in the industry apply to the characteristic data given. In general, no legal binding force can be derived from these data. Our products are subject to continuous further development. Therefore, Strub + Co. AG reserves the right to change all technical data in this data sheet at any time and without prior notice.