

STRUB Moto-Synt 4-T

Premium engine oil for modern 4-stroke
High performance motorcycle engines



Description

STRUB Moto-Synt 4-T are semi-synthetic high-performance 4-stroke engine oils for motorcycles, according to the JASO MA 2 specification. Specially refined HC base oils and modern additive technology guarantee less wear and engine deposits. JASO MA is the standard for 4-stroke motorcycle oils, with this the perfect function of the wet clutch and longevity of the engine is guaranteed. JASO MA 2 specification stands for even higher friction values at the wet clutch. STRUB Moto-Synt 4-T is downward compatible to JASO MA.

Application

For all air and water cooled 4-stroke engines of motorcycles with wet clutch, which require the API or JASO MA specification. Optimized for lubrication systems where the engine, transmission and clutch are integrated (wet sump).

Features and advantages

- extremely oxidation and temperature stable
- optimal friction properties for maximum power transmission
- excellent wear protection
- high lubrication reliability
- superior lubricant with performance reserves
- guarantees clean engines
- good neutralizing capacity

Specifications

JASO: MA2, backward compatible to JASO MA
API: SN/ SM / SG

Technical data

SAE		5W/30	10W/30	10W/40	20W/50
Art.-No.		32635	32637	32638	32639
Color		brown	brown	brown	brown
Spec. weight at 20°C	g/cm ³	0.846	0.854	0.856	0.868
Viscosity at 100°C	mm ² /s	10.9	11.2	13.5	17.5
Viscosity at 40°C	mm ² /s	64	69	89	150
Viscosity index		162	155	154	128
Pour Point	°C	- 36	-36	-32	- 30
Flash Point	°C	220	230	234	250

Transport

ADR/SDR: No dangerous goods

Disposal

LVA VeVA / EAK: 13 02 08

The information in this technical data sheet is based on general knowledge and application possibilities. STRUB + Co. AG is not liable for damage resulting from improper use of the products. The industry-standard measurement and production tolerances apply to the specified characteristic. Generally, no legal binding can be derived from these data. Our products are subject to continuous further development. Therefore, STRUB + Co. AG reserves the right to change all technical data in this data sheet at any time and without prior notice.