



# STRUB Sharosol BIO 500 B

Biodegradable formwork oil and mixer protection  
for absorbent and non-absorbent formwork

Art.-No. 31719

---

## Description

For absorbent and non-absorbent formwork. Wood, steel and coated or plastic-coated formwork. Apply sparingly and evenly undiluted to dry and as clean as possible formwork. Unplaned (sawed sapwood) unused wooden formwork should be soaked in concrete release agent before first use. Non-absorbent formwork should be stripped briefly with a rubber scraper after application with spray equipment.

## Features and advantages

- biodegradable, VOC-free
- no stains or pores on concrete surfaces
- double separating effect, chemical and physical and therefore easy stripping of formwork
- very good corrosion protection
- plaster layers, plates, wallpapers can be applied on the concrete without problems after drying out
- low consumption: 1 liter for approx. 65 - 85 m<sup>2</sup> depending on the formwork type
- suitable also for heated formwork > 80°C (ask our technical department, because the viscosity has to be adjusted case by case resp. has to be considered according to the temperature)
- biodegradable according to OECD 301B guidelines: >80 %.

## Technical data

Density at 20°C	g/cm <sup>3</sup>	0.830
Viscosity at 20°C	mm <sup>2</sup> /s	10 - 12
Viscosity at 40°C	mm <sup>2</sup> /s	7.0
Flash Point	°C	135
Pour Point	°C	- 6

## Storage

Do not store below 0°C

## Transport

ADR/SDR                                      No dangerous goods

## Disposal

LVA VeVA / EAK:                              13 02 07

The information in this technical data sheet is based on general knowledge and application possibilities. STRUB + Co. AG is not liable for damage resulting from improper use of the products. The industry-standard measurement and production tolerances apply to the specified characteristic. Generally, no legal binding can be derived from these data. Our products are subject to continuous further development. Therefore, STRUB + Co. AG reserves the right to change all technical data in this data sheet at any time and without prior notice.