

# **STRUB Vulcovac 688**

Vacuum pump oil

### Art.-No. 31113

## Description

Fully synthetic special oil for slide gate and rotary vane vacuum pumps. Multi-range character: Covers viscosity classes ISO 68 and 100.

#### Application

For all applications where no corrosive gases/vapors are to be extracted. For highest requirements, e.g. for Leybold-Heraeus, Busch, Rietschle and other makes. Please observe manufacturer's instructions.

#### Features and advantages

- oxidation-resistant, high-quality special oil •
- very favorable viscosity-temperature behavior (very high viscosity index) •
- low pour point •
- excellent rust protection properties
- high lubricity •

#### **Technical data**

Color		hellbraun
Density at 20°C	g/ml	0.910
Viscosity at 40°C	mm²/s	~ 90
Viscosity at 100°C	mm²/s	12.8
Viscosity index		144
Flash point	°C	280
Pour point	°C	- 45
ISO VG		68/100

# Transport

ADR/SDR

No dangerous goods

Disposal LVA VeVA / EAK:

13 02 08

The information in this technical data sheet is based on general knowledge and application possibilities. STRUB + Co. AG is not liable for damage resulting from improper use of the products. The industry-standard measurement and production tolerances apply to the specified characteristic. Generally, no legal binding can be derived from these data. Our products are subject to continuous further development. Therefore, STRUB + Co. AG reserves the right to change all technical data in this data sheet at any time and without prior notice.

fax

STRU	B +	Co.	AG
Swiss	Tril	bolo	gy

strub@strub-lube.ch www.strub-lube.ch